Full Colour Multi Function Printer
RICOH IM
C3000 IM
C3500 IM
C4500 IM
C6000





Welcome to a new era of technology that keeps your workplace up to date with RICOH IM C3000 / C3500 / C4500 / C6000 range of intelligent devices. Device and technology that is designed to grow and adapt, just as your business does.

Today's workplace needs to be ready for tomorrow. RICOH Intelligent Devices provide smooth access productivity

to hafuertions when the yearlessed, without needing to change your hardware. Turn your device into a powerful hub that helps you manage information workflows efficiently, using technology that is scalable, secure, sustainable and simple.

### Now is the time to:

- Protect your devices with easy access to security updates
- Take advantage of easy productivity upgrades at your own pace
- Save costs by bringing high-standard quality print output in-house
- Maximise productivity with streamlined workflows





## **Excellent Performance with the Best Quality Output**

# Greater Control of Scan and Print Management

Scanning of smaller sized documents can be easily done with the new small sized paper scan unit. The double feed detection unit helps to improve scan accuracy while the EFI controller enhances print management. Now, you can also create professional grade flyers at your own convenience with our inner multi-folding unit.



### **Maximise Cost Savings**

Enjoy lower running costs and reduced energy consumption thanks to environmentally friendly low TEC (Typical Electricity Consumption) values. Furthermore, take advantage of RICOH Intelligent Support services that anticipate potential issues and send corrective instructions via the Smart Operation Panel, avoiding interruptions and prolonging the optimal performance of your device – avoiding the need for intervention by more costly IT resources.



### **Seamless User Experience**

Our intelligent devices offer efficient working and reduced user intervention by expanding paper capacity. Choose from our versatile finishing and paper options for a professional touch to save time and reduce outsourcing expenses. With RICOH Intelligent Support, experience maximum device uptime and minimal disruption across all your devices.



# **Next-level Productivity with Smart Operations**

Interact with the 10.1" Smart Operation Panel like a typical smart device and configure it for quick and easy access to apps you use most often. A variety of mobile connectivity options enable printing or scanning to the office network or cloud from a smart device with built in support for NFC, AirPrint or Mopria. All this underpinned by a unique suite of support apps from RICOH Smart Integration.

# RICOH IM C3000 / IM C3500 / IM C4500 / IM C6000

MODEL	RICOH IM C3000	RICOH IM C3500	RICOH IM C4500	RICOH IM C6000			
GENERAL							
Warm-up Time		21 Sec	conds				
First Output Speed : B/W	4.5 Seconds	4.5 Seconds	3.6 Seconds	2.9 Seconds			
First Output Speed : Full Color	6.9 Seconds	6.9 Seconds	5.4 Seconds	4.2 Seconds			
Continuous Output Speed	30ppm	35ppm	45ppm	60ppm			
Memory Std/Max		2GB Std /	4GB Max				
HDD Std/Max		320GB :	Std/Max				
ARDF Capacity	100 Sheets						
SPDF Capacity		220 S	iheets				
Veight [Mainframe]	Less Tha	Less Than 85.5Kg Less Than 87.5Kg					
Dimensions W x D x H [Standard]	587 x 685 x 788 mm						
Dimensions W x D x H [Maximum]	668 x 738 x 1030 mm						
(excluding ARDF/SPDF)							
Power Source	i .	220 - 240	V 50/60Hz				
COPIER							
Multiple Copying	1	Up to 99	99 Copies				
Resolution		600	) dpi				
Zoom		From 25% to 40	00% in 1% Step				
PRINTER							
PU	Intel Atom Processor	r ApolloLake 1.3GHz	Intel Atom Process	or ApolloLake 1.6GHz			
Printer Language : Standard		PCL5c, PCL6, Postscript 3 (emulation), PDF direct (emulation)					
rinter Language : Option	Genu	Genuine Adobe® Postscript®3™, XPS, IPDS, PictBridge, PDF Direct from Adobe®					
Print Resolution	1,200 x 1,200 dpi						
Network Interface : Standard	Etherne	t 10 base-T/100base-TX/1000 base-	T, USB Host I/F Type A, USB Device	e I/F Type B			
Network Interface : Option	Bi-directional IEEE 1284/ECP, Wireless LAN (IEEE 802.11a/b/g/n), Additional NIC (2nd port)						
Mobile Printing Capability	Apple AirPrintTM, Mopria, Google Cloud Print, NFC, Ricoh Smart Device Connector						
Nindows® environments	Windows® 7, Windows® 8.1, Windows®10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012R2,						
Mac OS environments	Windows® Server 2016						
JNIX environments	Macintosh OS X10.11 or Later						
SAP® environments	UNIX	Sun® Solaris, HP-UX, SCO OpenSe		BM® AIX			
Other Supported environments	SAP® S/4®						
other supported environments		IBM	iSeries				
Scanning Speed							
Resolution : Maximum	120ipm (Simplex) / 240ipm (duplex)						
Compression Method	1,200 dpi						
	TIFF (MH, MR, MMR, JBIG2), Grayscale						
File Formats	Single Page TIFF, Single page JPEG, Single Page High compression PDF, Single page PDF-A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi Page PDF-A						
ne i orinats							
Scan Modes		Email, Folder	, USB, SD Card				
ACSIMILE							
Circuit		PSTN	I, PBX				
ranmission Speed	2 Seconds						
Modem Speed : Maximum	33.6 Kbps						
Resolution : Standard	8 x 3.65 line/mm, 200 x 100 dpi						
Resolution : Option	16 x 15.4 line/mm, 400 x 400 dpi						
Compression Method	MH, MR, MMR, JBIG						
Memory : Standard	4MB (320 Pages)						
Memory : Maximum	60MB (4,800 Pages)						
PAPER HANDLING		333 (1)0					
Recommended Paper Size		ςκαι αι αι α	.5 A6 B4 B5 B6				
Paper Input Capacity Std	SRA3, A3, A4, A5, A6, B4, B5, B6 1,200 Sheets						
Paper Input Capacity Max	<u> </u>						
Paper Output Capacity Std	4,700 Sheets						
Paper Output Capacity Max	500 Sheets						
Paper Weight	1,625 Sheets			5 Sheets			
-	60 - 300g/m2						
Paper Types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper, OHP						
aper Types							
			Less Than 1,850 W				
COLOGY	Less Thar	n 1,700 W	Less Th	an 1,850 W			
ECOLOGY Power Consumption : Max		n 1,700 W 6 W		an 1,850 W 9.0 W			
ECOLOGY Power Consumption : Max Power Consumption : Ready Power Consumption : Sleep	47.	•	59	<u> </u>			

### RICOH IM C3000 / IM C3500 / IM C4500 / IM C6000

MODEL OUTPUT TRAY AND FINISHER	RICOH IM C3000	RICOH IM C3500	RICOH IM C4500	RICOH IM C6000		
OPTION 1 x 550-Sheets Paper Tray (PB						
3270) 2 x 550-Sheets Paper Tray (PB	Paper Size : A6-SRA3, Paper Weight : 60-300g/m2					
3280)	Paper Size : A6-SRA3, Paper Weight : 60-300g/m2					
2,000-Sheets Large Capacity Tray (LCIT PB3290)	Paper Size : A4, Paper Weight : 60-300g/m2					
1,500-Sheets Large Capacity Tray		Paper Sizo : A4 Pap	or Woight : 60 200g/m2			
(LCIT RT3040)	Paper Size : A4, Paper Weight : 60-300g/m2					
1,000-Sheets Hybrid Finisher (SR3260)	Paper Size: Proof Tray: A6-A3, Shift Tray: A6-A3, Paper weight: 60-300g/m² Staple paper size: A4-A3, Staple paper weight: 52-105g/m Staple position: Top, Bottom, 2 Staples Staple capacity Max: 50 sheets (A4) 30 Sheets (A3) Stapleless capacity Max: 5 sheets (A4/A3)					
3,000-sheet Finisher (SR 3280) Available for IM C4500, IM C6000 only]	Paper Size : Proof Tray : A6-A3, Shift Tray : A6-A3, Paper weight : 60-300g/m²  Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Top slant  Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)					
1,000-Sheet Booklet Finisher (SR3270)	Paper Size: Proof Tray: A6-A3, Shift Tray: A6-A3, Booklet tray: A4-A3 Paper weight: 60-300g/m² Staple paper size: A4-A3, Staple paper weight: 52-105g/m Staple position: Top, Bottom, 2 Staples, Booklet Staple capacity Max: 50 sheets (A4) 30 Sheets (A3)					
2,000-Sheet Booklet Finisher (SR3290) Available for IM C4500, IM C6000 only]	Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Booklet tray : A4-A3 Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Booklet Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)					
500-Sheet Internal Finisher (SR3250) (IM C6000 is not supported)	Paper Size : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)					
250-Sheet Internal Finisher (SR3300) (Available for IM C3000, IM C3500 only)	Paper Size : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top,1 Staple Staple capacity Max : 2-5 sheets (A4)					
nternal Shift Tray (SH3080)	Tray Capacity : 250 sheets, Paper size : 320 mm x 600 mm or smaller, Paper weight : 60-300g/m²					
One-bin tray (BN3130)	Tray Capacity : 125 sheets, Paper size : A5 - A3, Paper weight : 52-300g/m²					

### OTHER OPTIONS

Platen Cover PN2000, DF3110, DF3120, Fax Option Type M37, G3 Interface Unit Type M37, Fax Connection unit Type M37, FAX Memory unit Type M19 64MB, Memory Unit Type M37 4GB, Caster Table Type M3, VM Card Type M37, Side Tray, Punch Unit NA/EU/SC (PU3070,PU3080,PU3090), Internal Multi-fold unit FD3010, Camera direct print card, Postscript3 Unit Type M37, XPS direct print Option Type M37, IEEE 1284 I/F Type M19, IEEE 802.11a/g/n I/F Type M19, Device server option Type M37, File format Converter Type M19, OCR Unit Type M13, Small Paper Feeding Unit Type M37, Page Keeper Type M37, ADF Handle, External Keyboard Bracket Type M19, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, NFC Card Reader Type M37, Smart Card Reader Built in Unit Type M37, External USB Keyboard (No bracket), Color Controller E-25C, Unicode Font Package for SAP@License.























www.mayphotodaithanh.com

CÔNG TY TNHH TBVP ĐAI THÀNH

### TRU SỞ CHÍNH:

528 Huỳnh Văn Luỹ, Phú Mỹ, Thủ Dầu Một, Bình Dương ĐT: 0274 22 33 444 - 0909 155 148 - 0939 039 839

<sup>\*</sup>AirPrint certification will be available in 2019.